ELSEVIER

Brain Research 857 (2000) 343–345

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Amico, J.A., Davis, A.M. and McCarthy, M.M.
An ovarian steroid hormone regimen that increases hypothalamic oxytocin expression alters [^{3}H] muscimol binding in the hypothalamic supraoptic nucleus of the female rat (857) 279
Ando, R., see Kawakami, S.-i. (857) 313
Axer, H., see Vles, J.S.H. (857) 219
Azorlosa, J.L., see Johnson, D.A.M. (857) 66

Baker, J.D., see Johnson, D.A.M. (857) 66
Berquin, P., Bodineau, L., Gros, F. and Larnicol, N.
Brainstem and hypothalamic areas involved in respiratory chemoreflexes: a Fos study in adult rats (857) 30
Berrendero, F., see Hernández, M. (857) 56
Blanco, C.E., see Vles, J.S.H. (857) 219
Bodineau, L., see Berquin, P. (857) 30
Bond, B., see Newman, S.J. (857) 131
Broussard, D.M., see Priesol, A.J. (857) 252
Brundin, P., see Petersén, Å. (857) 20
Bungo, T., see Kawakami, S.-i. (857) 313
Byku, M., Legutko, R. and Gannon, R.L.
Distribution of δ opioid receptor immunoreactivity in the hamster suprachiasmatic nucleus and intergeniculate leaflet (857) 1
Bytner, B., see Rosén, A. (857) 212

Castilho, R.F., see Petersén, Å. (857) 20
Cebeira, M., see Hernández, M. (857) 56
Chatten-Brown, J., see Monje, M.L. (857) 172
Chuah, M.I., Cossins, J.-M., Woodhall, E., Tennent, R., Nash, G. and West, A.K.
Glial growth factor 2 induces proliferation and structural changes in ensheathing cells (857) 265
Cossins, J.-M., see Chuah, M.I. (857) 265
Crook, B., see Newman, S.J. (857) 131
Crumpton, T.L., Seidler, F.J. and Slotkin, T.A.
Developmental neurotoxicity of chlorpyrifos in vivo and in vitro: effects on nuclear transcription factors involved in cell replication and differentiation (857) 87

Darker, J., see Newman, S.J. (857) 131
Davis, A.M., see Amico, J.A. (857) 279
Deboer, T., see Huber, R. (857) 8
De Louw, A.J., see Vles, J.S.H. (857) 219
Denbow, D.M., see Kawakami, S.-i. (857) 313
Derrick, B.E., York, A.D. and Martinez Jr., J.L.
Increased granule cell neurogenesis in the adult dentate gyrus following mossy fiber stimulation sufficient to induce long-term potentiation (857) 300
De Vente, J., see Vles, J.S.H. (857) 219

Eads, M., see Houser, S.J. (857) 337
Edge, C., see Newman, S.J. (857) 131
Embrey, J.P., see Houser, S.J. (857) 337

Ferger, B., see Teismann, P. (857) 165
Fernández-Ruiz, J., see Hernández, M. (857) 56
Furukawa, S., see Ichiyama, T. (857) 246
Furuse, M., see Kawakami, S.-i. (857) 313

Gannon, R.L., see Byku, M. (857) 1
García-Gil, L., see Hernández, M. (857) 56
Gros, F., see Berquin, P. (857) 30
Gu, Z., see Jiang, Q. (857) 71

Hansson, O., see Petersén, Å. (857) 20
Hara, A., see Iwai, T. (857) 275
Hashikawa, K., see Kinoshita, H. (857) 119
Hayashi, T., see Ichiyama, T. (857) 246
Hentschel, K., Moore, K.E. and Lookingland, K.J.
Effects of prolactin on expression of Fos-related antigens in tyrosine hydroxylase-immunoreactive neurons in subdivisions of the arcuate nucleus (857) 110
Hernández, M., Berrendero, F., Suárez, I., García-Gil, L., Cebeira, M., Mackie, K., Ramos, J.A. and Fernández-Ruiz, J.
Cannabinoid CB_1 receptors colocalize with tyrosine hydroxylase in cultured fetal mesencephalic neurons and their activation increases the levels of this enzyme (857) 56
Hirose, T., see Nishizawa, N. (857) 188
Houser, S.J., Eads, M., Embrey, J.P. and Welch, S.P.
Dynorphin B and spinal analgesia: induction of antinociception by the cannabinoids CP55,940, Δ^9-THC and anandamide (857) 337
Hu, J.-F., Liu, Y. and Liang, P.-J.
Stimulus pattern related plasticity of synapses between cones and horizontal cells in carp retina (857) 321
Huber, R., Deboer, T. and Tobler, I.
Effects of sleep deprivation on sleep and sleep EEG in three mouse strains: empirical data and simulations (857) 8
Hye, S.E., see Monje, M.L. (857) 172

Ichiyama, T., Okada, K., Lipton, J.M., Matsubara, T., Hayashi, T. and Furukawa, S.
Sodium valproate inhibits production of TNF-α and IL-6 and activation of NF-κB (857) 246
Ishiguro, K., see Takahashi, M. (857) 193
Itakura, T., see Yokote, H. (857) 78
Itami, C., Mizuno, K., Kohno, T. and Nakamura, S.
Brain-derived neurotrophic factor requirement for activity-dependent maturation of glutamatergic synapse in developing mouse somatosensory cortex (857) 141
Iwai, T., Niwa, M., Hara, A., Mori, H., Uematsu, T. and Sakai, N.
DNA fragmentation in the CA2 sector of gerbil hippocampus following transient forebrain ischemia (857) 275

Jiang, Q., Gu, Z., Zhang, G. and Jing, G.
Diphosphorylation and involvement of extracellular signal-regulated kinases (ERK1/2) in glutamate-induced apoptotic-like death in cultured rat cortical neurons (857) 71
Jin, W., see Wakana, S. (857) 286
Jing, G., see Jiang, Q. (857) 71
Johnson, D.A.M., Baker, J.D. and Azorlosa, J.L.
Acquisition, extinction, and reinstatement of Pavlovian fear conditioning: the roles of the NMDA receptor and nitric oxide (857) 66
Johnson, F., see Soderstrom, K. (857) 151
Jones, G.E.G., see Priesol, A.J. (857) 252

Kaba, H., see Okere, C.O. (857) 308
Kajiwara, K., see Wakana, S. (857) 286
Kakishita, K., see Yokote, H. (857) 78
Kakiuchi, T., see Tsukada, H. (857) 158
Kálmán, M. and Szabó, A.
Plectin immunopositivity appears in the astrocytes in the white matter but not in the gray matter after stab wounds (857) 291
Kask, A., Schiöth, H.B., Mutulis, F., Wikberg, J.E.S. and Rägo, L.
Anorexigenic cocaine- and amphetamine-regulated transcript peptide intensifies fear reactions in rats (857) 283

Kawakami, S.-i., Bungo, T., Ohgushi, A., Ando, R., Shimojo, M., Masuda, Y., Denbow, D.M. and Furuse, M.
Brain-derived mast cells could mediate histamine-induced inhibition of food intake in neonatal chicks (857) 313
Kim, E.-S., Li, H., McCulloch, P.F., Morrison, L.A., Yoon, K.-W. and Xu, X.M.
Spatial and temporal patterns of transneuronal labeling in CNS neurons after injection of pseudorabies virus into the sciatic nerve of adult rats (857) 41
Kinoshita, H., Oku, N., Hashikawa, K. and Nishimura, T.
Functional brain areas used for the lifting of objects using a precision grip: a PET study (857) 119
Kinoshita, Y., see Yokote, H. (857) 78
Kohno, T., see Itami, C. (857) 141

Larnicol, N., see Berquin, P. (857) 30
Legutko, R., see Byku, M. (857) 1
Leybaert, L., see Paemeleire, K. (857) 235
Li, H., see Kim, E.-S. (857) 41
Liang, P.-J., see Hu, J.-F. (857) 321
Lipton, J.M., see Ichiyama, T. (857) 246
Liu, Y., see Hu, J.-F. (857) 321
Lookingland, K.J., see Hentschel, K. (857) 110
Louw, D.F., Yang, F.W. and Sutherland, G.R.
The effect of δ-9-tetrahydrocannabinol on forebrain ischemia in rat (857) 183
Lundeberg, T., see Rosén, A. (857) 212

Mackie, K., see Hernández, M. (857) 56
Marchenko, V. and Sapru, H.N.
Different patterns of respiratory and cardiovascular responses elicited by chemical stimulation of dorsal medulla in the rat (857) 99
Markerink-van Ittersum, M., see Vles, J.S.H. (857) 219
Martinez Jr., J.L., see Derrick, B.E. (857) 300
Maruyama, C., see Wakana, S. (857) 286
Masuda, Y., see Kawakami, S.-i. (857) 313
Masuzawa, M., see Nishizawa, N. (857) 188
Matsubara, T., see Ichiyama, T. (857) 246
Matsumoto, H., see Yokote, H. (857) 78
Matsuyama, S., Nomura, T. and Nishizaki, T.
Sustained facilitatory action of FK960 on hippocampal neurotransmission (857) 317
Maycox, P.R., see Newman, S.J. (857) 131
McCarthy, M.M., see Amico, J.A. (857) 279
McCulloch, P.F., see Kim, E.-S. (857) 41
Mizuno, K., see Itami, C. (857) 141
Monje, M.L., Chatten-Brown, J., Hye, S.E. and Raley-Susman, K.M.
Free radicals are involved in the damage to protein synthesis after anoxia/aglycemia and NMDA exposure (857) 172
Moore, K.E., see Hentschel, K. (857) 110
Mori, H., see Iwai, T. (857) 275
Morrison, L.A., see Kim, E.-S. (857) 41
Mutulis, F., see Kask, A. (857) 283

Nagata, A., see Nishizawa, N. (857) 188
Nakai, K., see Yokote, H. (857) 78
Nakamura, S., see Itami, C. (857) 141
Nakao, N., see Yokote, H. (857) 78
Nakao, S.-i., see Nishizawa, N. (857) 188
Naramoto, F., see Wakana, S. (857) 286
Nash, G., see Chuah, M.I. (857) 265
Newman, S.J., Bond, B., Crook, B., Darker, J., Edge, C. and Maycox, P.R.
Neuron-specific localisation of the TR3 death receptor in Alzheimer's disease (857) 131
Nilsson, G.E., see Söderström, V. (857) 207
Nishimura, T., see Kinoshita, H. (857) 119
Nishiyama, S., see Tsukada, H. (857) 158
Nishizaki, T., see Matsuyama, S. (857) 317
Nishizawa, N., Nakao, S.-i., Nagata, A., Hirose, T., Masuzawa, M. and Shingu, K.
The effect of ketamine isomers on both mice behavioral responses and c-Fos expression in the posterior cingulate and retrosplenial cortices (857) 188
Niwa, M., see Iwai, T. (857) 275
Nomura, T., see Matsuyama, S. (857) 317
Nylander, I., see Rosén, A. (857) 212

Ohguchi, H., see Wakana, S. (857) 286
Ohgushi, A., see Kawakami, S.-i. (857) 313
Okada, K., see Ichiyama, T. (857) 246
Okere, C.O. and Kaba, H.
Region-specific localization of glutamine synthetase immunoreactivity in the mouse olfactory bulb: implications for neuron–glia interaction in bulbar synaptic plasticity (857) 308
Oku, N., see Kinoshita, H. (857) 119

Paemeleire, K. and Leybaert, L.
Ionic changes accompanying astrocytic intercellular calcium waves triggered by mechanical cell damaging stimulation (857) 235
Petersén, Å., Castilho, R.F., Hansson, O., Wieloch, T. and Brundin, P.
Oxidative stress, mitochondrial permeability transition and activation of caspases in calcium ionophore A23187-induced death of cultured striatal neurons (857) 20
Priesol, A.J., Jones, G.E.G., Tomlinson, R.D. and Broussard, D.M.
Frequency-dependent effects of glutamate antagonists on the vestibulo-ocular reflex of the cat (857) 252

Rägo, L., see Kask, A. (857) 283
Raley-Susman, K.M., see Monje, M.L. (857) 172
Ramos, J.A., see Hernández, M. (857) 56
Rola, R. and Szulczyk, P.
Quantitative differences between kinetic properties of Na^+ currents in postganglionic sympathetic neurones projecting to muscular and cutaneous effectors (857) 327
Rosén, A., Lundeberg, T., Bytner, B. and Nylander, I.
Central changes in nociceptin dynorphin B and Met-enkephalin-Arg-Phe in different models of nociception (857) 212

Sakai, N., see Iwai, T. (857) 275
Sapru, H.N., see Marchenko, V. (857) 99
Sato, K., see Tsukada, H. (857) 158
Schiöth, H.B., see Kask, A. (857) 283
Seidler, F.J., see Crumpton, T.L. (857) 87
Shimojo, M., see Kawakami, S.-i. (857) 313
Shingu, K., see Nishizawa, N. (857) 188
Sircar, R.
Effect of melatonin on cocaine-induced behavioral sensitization (857) 295
Slotkin, T.A., see Crumpton, T.L. (857) 87
Soderstrom, K. and Johnson, F.
CB1 cannabinoid receptor expression in brain regions associated with zebra finch song control (857) 151
Söderström, V. and Nilsson, G.E.
Brain blood flow during hypercapnia in fish: no role of nitric oxide (857) 207
Steinbusch, H., see Vles, J.S.H. (857) 219
Steinbusch, H.W.M., see Vles, J.S.H. (857) 219
Suárez, I., see Hernández, M. (857) 56
Sugaya, A., see Wakana, S. (857) 286
Sugaya, E., see Wakana, S. (857) 286
Sutherland, G.R., see Louw, D.F. (857) 183
Szabó, A., see Kálmán, M. (857) 291
Szulczyk, P., see Rola, R. (857) 327

Takahashi, M., Tomizawa, K. and Ishiguro, K.
Distribution of tau protein kinase I/glycogen synthase kinase-3β, phosphatases 2A and 2B, and phosphorylated tau in the developing rat brain (857) 193
Teismann, P. and Ferger, B.
Comparison of the novel drug Ensaculin with MK-801 on the reduction of hydroxyl radical production in rat striatum after local application of glutamate (857) 165
Tennent, R., see Chuah, M.I. (857) 265
Terada, T., see Yokote, H. (857) 78
Tobler, I., see Huber, R. (857) 8
Tomizawa, K., see Takahashi, M. (857) 193
Tomlinson, R.D., see Priesol, A.J. (857) 252
Troost, J., see Vles, J.S.H. (857) 219
Tsuda, T., see Wakana, S. (857) 286
Tsukada, H., Sato, K., Kakiuchi, T. and Nishiyama, S.
Age-related impairment of coupling mechanism between neuronal activation and functional cerebral blood flow response was restored by cholinesterase inhibition: PET study with microdialysis in the awake monkey brain (857) 158

Uematsu, T., see Iwai, T. (857) 275

Vles, J.S.H., De Louw, A.J., Steinbusch, H., Markerink-van Ittersum, M., Steinbusch, H.W.M., Blanco, C.E., Axer, H., Troost, J. and De Vente, J.
Localization and age-related changes of nitric oxide- and ANP-mediated cyclic-GMP synthesis in rat cervical spinal cord: an immunocytochemical study (857) 219

Wakana, S., Sugaya, E., Naramoto, F., Yokote, N., Maruyama, C., Jin, W., Ohguchi, H., Tsuda, T., Sugaya, A. and Kajiwara, K.
Gene mapping of SEZ group genes and

determination of pentylenetetrazol susceptible quantitative trait loci in the mouse chromosome (857) 286
Welch, S.P., see Houser, S.J. (857) 337
West, A.K., see Chuah, M.I. (857) 265
Wieloch, T., see Petersén, Å. (857) 20
Wikberg, J.E.S., see Kask, A. (857) 283
Woodhall, E., see Chuah, M.I. (857) 265
Xu, X.M., see Kim, E.-S. (857) 41
Yang, F.W., see Louw, D.F. (857) 183
Yokote, H., Terada, T., Matsumoto, H., Kakishita, K., Kinoshita, Y., Nakao, N., Nakai, K. and Itakura, T.
Dephosphorylation-induced decrease of anti-apoptotic function of Bcl-2 in neuronally differentiated P19 cells following ischemic insults (857) 78
Yokote, N., see Wakana, S. (857) 286
Yoon, K.-W., see Kim, E.-S. (857) 41
York, A.D., see Derrick, B.E. (857) 300
Zhang, G., see Jiang, Q. (857) 71